

Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: NOSOMATIC SK1

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Alkaline detergent for bedpans and laboratory apparatus.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MEDALKAN

Michalakopoulou 102, P.C. 11528, Athens, Greece

Tel., 2107484847, Fax. 210 7772009

e-mail: contact@medalkan.gr website: www.medalkan.com

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS05

Signal word: Danger

Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate

Hazard statements:

H318 Causes serious eye damage.

(Contd. on page 2)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 1)

Precautionary statements

P264 Wash hands thoroughly after handling. P280 Wear eye protection / face protection

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate ≥20-<30%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Remove contaminated clothing.

Wash contaminated clothing before use.

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Consult the doctor immediately and show the label or this Safety Data Sheet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid contact with spilled material.

Goggles and/ or face shield, if contact with eyes or splashes are anticipated.

Avoid contact with skin and eyes.

6.1.1 For non-emergency personnel Use personal protective equipment.

6.1.2 For emergency responders

Ventilate area of leak or spill.

Use safety goggles, in case of contact with the eyes.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Avoid contact with skin and eyes.

Do not eat, drink or smoke when using this product.

Wash contaminated clothes before reusing them.

Wash your hands before each break and after finishing work.

Avoid inhaling vapors.

(Contd. on page 4)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 3)

Information about fire - and explosion protection:

Keep away from heat, sparks, open flames and hot surfaces.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Keep in the original container. Store in a cool, dry and well-ventilated place.

Information about storage in one common storage facility: Stored away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Protect from direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

(CAS: 64-02-8) Tetrasodium ethylenediaminetetraacetate

Workers

Long-term exposure - systemic and local effects by inhalation: 1.5 mg/m $^{\rm 3}$ Short-term exposure - systemic and local effects by inhalation: 3 mg/m $^{\rm 3}$

Consumers

Long-term exposure - systemic and local effects by inhalation: $0.6~mg/m^3$ Short-term exposure - systemic and local effects by inhalation: $1.2~mg/m^3$

Long-term exposure - systemic effects, oral: 25 mg/kg bw/d

PNECs

(CAS: 64-02-8) Tetrasodium ethylenediaminetetraacetate

Fresh water: 2.2 mg/l Marine water: 0.22 mg/l Intermittent releases: 1.2 mg/l

Soil: 0.72 mg/kg

Sewage treatment plant: 43 mg/l

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Avoid contact with the eyes and skin.

(Contd. on page 5)

(Contd. of page 4)



Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

Respiratory protection:



Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Liquid

Colourless, Transparent

Odour: Characteristic
Odour threshold: Not determined
Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range Not determined

(Contd. on page 6)



Version number 1 Printing date 24.05.2023 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 5)

Flammability Not applicable

Lower and upper explosion limit

Lower: Not determined Upper: Not determined Flash point: Not Flammable **Auto-ignition temperature:** Not specified **Decomposition temperature:** Not determined

pH at 20 °C <11

Viscosity:

Kinematic viscosity Not determined Dynamic: Not determined

Solubility

water: Fully miscible

Partition coefficient n-octanol/water (log

value) Not determined Vapour pressure: Not determined

Density and/or relative density

Density at 20 °C: 1.2 g/cm³ Relative density Not determined Vapour density Not determined

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Void

Cloud point / clarification point:

Oxidising properties Not oxidising **Evaporation rate** Not determined

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids**

(Contd. on page 7)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 6)

Oxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoidDesensitised explosivesVoid

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 >6,357-<7,143 mg/kg

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

Oral LD50 >1,780-<2,000 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eve damage/irritation Causes serious eve damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate

EC50 (72h) | >300 mg/l (algae) (Freshwater Alga and Cyanobacteria, Grow Inhibition)

(Contd. on page 8)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 7)

EC50 (48h) 140 mg/l (Daphnia magna)

LC50 (96h) >1,000 mg/l (Lepomis macrochirus (Bluegill))

NOEC (21d) 25 mg/l (Daphnia)

≥25.7 mg/l (fis)

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European waste catalogue

HP4 Irritant - skin irritation and eye damage

HP6 Acute Toxicity

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number Unenforceable. Not classified as dangerous for

transport.

ADR, IMDG, IATA Void

14.2 UN proper shipping name

ADR, IMDG, IATA Void

(Contd. on page 9)



Printing date 24.05.2023 Version number 1 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 8)

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards: Not applicable.14.6 Special precautions for user Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Version number 1 Printing date 24.05.2023 Revision: 24.05.2023

Trade name: NOSOMATIC SK1

(Contd. of page 9)

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:



SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1