

Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: NOSOPROTECT

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture:

Highly concentrated mycobactericidal medical & surgical instrument disinfectant.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

MEDALKAN

Michalakopoulou 102, P.C. 11528, Athens, Greece

Tel., 2107484847, Fax. 210 7772009

e-mail: contact@medalkan.gr website: www.medalkan.com

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)



Safety data sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

Hazard pictograms:







GHS05 GHS07 GHS09

Signal word: Danger

Hazard-determining components of labelling:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

didecyldimethylammonium chloride

Isotridecanol, ethoxylated

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P264 Wash thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:

CAS: 2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine € Acute Tox. 3, H301; STOT RE 2, H373; Skin

Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute

1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)

(Contd. on page 3)

≥5-<10%



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

CAS: 7173-51-5 EINECS: 230-525-2 Index number: 612-131-00-6	didecyldimethylammonium chloride Skin Corr. 1B, H314;	(Contd. of page 2) ≥3-<5%
CAS: 69011-36-5 NLP: 500-241-6	Isotridecanol, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312	≥3-<5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol Flam. Liq. 2, H225; Use Irrit. 2, H319; STOT SE 3, H336	≥1-<2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. In case of unconsciousness place patient stably in side position for transportation. Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Wash contaminated clothing before use.

Remove contaminated clothing.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses and continue rinsing for several minutes

Call a doctor immediately.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 3)

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin and eyes.

Ensure adequate ventilation.

Wear protective clothing.

Ensure adequate ventilation.

6.1.1 For non-emergency personnel

Avoid contact with dripping or leaking material

Use personal protective equipment.

6.1.2 For emergency responders

Wear protective equipment. Keep unprotected persons away.

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Avoid contact with skin, eyes and clothing.

Avoid contact with skin and eyes.

Avoid inhaling vapors.

Wash your hands thoroughly after handling.

Wash contaminated clothing before reuse.

Do not eat, drink or smoke during the usage of the product.

Information about fire - and explosion protection:

Keep away from heat, sparks, open flames and hot surfaces.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

(Contd. on page 5)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 4)

Information about storage in one common storage facility: Store away from oxidising agents. Further information about storage conditions:

Store under lock and key and out of the reach of children.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 57-55-6 Propane-1,2-diol

WEL (Great Britain) Long-term value: 474* 10** mg/m³, 150* ppm

*total vapour and particulates **particulates

CAS: 67-63-0 propan-2-ol

WEL (Great Britain) | Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

DNELs

(CAS: 67-63-0) Propan-2-ol, Isopropanol

Workers

Long-term systemic effects, dermal: 888 mg/kg Long-term systemic effects, inhalation: 500 mg/m³

Consumers

Long-term systemic effects, dermal: 319 mg/kg Long-term systemic effects, inhalation: 89 mg/m³ Long-term systemic effects, oral: 26 mg/kg

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Do not breathe vapours or mists.

Remove contaminated clothes and wash before reusing them.

Wash hands before breaks and at the end of work.

Avoid contact with skin and eyes.

Do not eat, drink or smoke while using the product.

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 6)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

Hand protection





Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye/face protection



Tightly sealed goggles (EN 166).

Body protection:





Chemically resistant, protective work clothing (EN 14605) and boots.

Environmental exposure controls

Dispose of flushing liquids in accordance with local and national regulations.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state
Colour:
Colourless
Odour:
Characteristic
Odour threshold:
Melting point/freezing point:
Not determined
Not determined

Boiling point or initial boiling point and

boiling rangeNot determinedFlammabilityNot applicable

Lower and upper explosion limit

Lower: Not determined

(Contd. on page 7)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 6)

Upper: Not determined
Flash point: Not Flammable
Auto-ignition temperature: Not determined
Decomposition temperature: Not determined
pH at 20 °C 10.8-11.2

Viscosity:

Kinematic viscosity Dynamic:Not determined
Not determined

Solubility

water: Not determined

Partition coefficient n-octanol/water (log

value)Not determinedVapour pressure:Not determined

Density and/or relative density

Density:Not determinedRelative densityNot determinedVapour densityNot determined

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health

and environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Cloud point / clarification point:

Oxidising properties Not oxidising Evaporation rate Not determined

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void

(Contd. on page 8)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

Desensitised explosives Void

(Contd. of page 7)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid Oxidising agents
- 10.5 Incompatible materials Oxidizing agents
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

OFOTI					The second second
SEL III	I	 OVICOL	AMICAL	INTOKE	nation
SECTI					

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if swallowed.

LD/LC50	voluee r	alavant :	far a	laaaifi	aatiani
LD/LC30	values i	eievaiii	יטו כו	ıassııı	Calion.

ATE (Acute Toxicity Estimates	ATE	(Acute	Toxicity	Estimates
-------------------------------	------------	--------	-----------------	------------------

Oral	LD50	1,030 mg/kg (rat)
Dermal	LD50	50,000 mg/kg (rabbit)

CAS: 2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

Oral	LD50	261 mg/kg (rat)
Dermal	LD50	>600 mg/kg (rat)

CAS: 7173-51-5 didecyldimethylammonium chloride

Oral LD50 84 mg/kg (rat)

CAS: 69011-36-5 Isotridecanol, ethoxylated

Oral	LD50	2,000 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	

CAS: 67-63-0 propan-2-ol

Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50/4 h (vapour)	30 mg/l (rat)

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 8)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 2372-82-9 N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

LC50 (96h) 0.431 mg/l (fis)

EC10 0.0095 mg/L (algae)

NOEC(10d) 127.14 mg/kg (Corophium volutator) NOEC (28d) 320 mg/kg (Chironomus riparius)

CAS: 67-63-0 propan-2-ol

EC50 (72h) 1,800 mg/l (algae)

LC50 (96h) 9,640-10,000 mg/l (Pimephales promelas) (Fish, Acute Toxicity Test) EC50(24h) 9,714 mg/l (Daphnia magna) (Daphnia sp. Acute Immobilisation Test)

12.2 Persistence and degradability

(CAS: 67-63-0) propan-2-ol

BOD 5: 53 % ThOD: 72 %

12.3 Bioaccumulative potential

(CAS: 67-63-0) Propan-2-ol

Partition coefficient n-octanol/water: 0,05 No bioaccumulation expected (log Pow < 1).

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

Very toxic for fish

Toxic for fish

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralised.

Also poisonous for fish and plankton in water bodies.

The product contains materials that are harmful to the environment.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 9)

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

European	waste	cata	logue
----------	-------	------	-------

HP6	Acute Toxicity
HP8	Corrosive
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

14.2 UN proper shipping name

ADR

UN1903

1903 DISINFECTANT, LIQUID, CORROSIVE,

N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine, didecyldimethylammonium chloride),

ENVIRONMENTALLY HAZARDOUS

IMDG DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-

(3-aminopropyl)-N-dodecylpropane-1,3-diamine, didecyldimethylammonium chloride), MARINE

POLLUTANT

IATA DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-

(3-aminopropyl)-N-dodecylpropane-1,3-diamine,

didecyldimethylammonium chloride)

14.3 Transport hazard class(es)

ADR, IMDG





Class 8 Corrosive substances.

(Contd. on page 11)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

Label 8 (Contd. of page 10)

IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA Ш

14.5 Environmental hazards: **Environmental Hazardous**

Marine pollutant:

Symbol (fish and tree)

Symbol (fish and tree) Special marking (ADR):

14.6 Special precautions for user Warning: Corrosive substances.

Hazard identification number (Kemler code): 80 **EMS Number:** F-A,S-B Stowage Category

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L **Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category Tunnel restriction code E

IMDG

Limited quantities (LQ) 5L

Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1903 DISINFECTANT, LIQUID, CORROSIVE,

> N.O.S. (N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE,

DIDECYLDIMETHYLAMMONIUM CHLORIDE), 8,

III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC Regulation (EU) 2020/878 CLP Regulation 1272/2008/EC

(Contd. on page 12)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 11)

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

CAS: 7173-51-5 didecyldimethylammonium chloride

Annex I Part 1

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 13)



Printing date 03.02.2023 Version number 3 (replaces version 2) Revision: 03.02.2023

Trade name: NOSOPROTECT

(Contd. of page 12)

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oral

Skin corrosion/irritation

Serious eve damage/irritation

Hazardous to the aquatic environment - short-

term (acute) aquatic hazard

Hazardous to the aquatic environment - long-

term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

снем

SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemvriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.